### SmartColor Solid & Robust Belt System




#### H200 based on 1638UR



















## H200 based on 1638UR





- HYBRID solution : Roll & Rigid
- Easy-to-install & compact
- Overall wider application range vs.
  VJ-1638UH





#### H200 based on 1638UR





- Light signal indicating machine status
- Perimeter security sensor
- Includes 1 support table for materials
  - Additional tables available as option








### SmartColor Solid & Robust Flatbed System



#### F200/F300/F400 based on 1638UR
















### F200/F300/F400 based on 1638UR





- Flatbed system for rigids
- 3 different sizes up to 314 cm length!
- Easy to install
- Overall wider application range vs.
  VJ-1638UH





## SmartColor Hybrid & Belt Systems vs VJ-1638UH







	VJ-1638UH	H200	F200/300/400
Media Type	Roll & Rigids	Roll & Rigids	Rigids
Max. Media Width	1625 mm	1625 mm	1625 mm
Max. Media Length	1200 mm	$\infty$	1420 / 2420 /3148 mm
Max. Media Thickness	15 mm	240 mm	240 mm
Max. Media Weight	15 kg / m²	100 kg / m <sup>2</sup>	100 kg / m <sup>2</sup>
Unit	Compact	Compact	Larger Area





# **H200 Dimensions**

